	Application No.	Applicant(s)
	Application No.	Applicant(s)
Notice of Allowability	10/614,118	OYAMA, HITOSHI
Notice of Allowability	Examiner	Art Unit
	Stephen L. Blau	3711
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to 11/10/04.		
2. The allowed claim(s) is/are <u>1-4,6 and 7.</u>		
3. The drawings filed on <u>08 July 2003</u> are accepted by the Examiner.		
 4. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)). * Certified copies not received: Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient. 6. CORRECTED DRAWINGS (as "replacement sheets") must be submitted. (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date (b) including changes required by the attached Examiner's Amendment / Comment or the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d). 		
7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s) 1. Notice of References Cited (PTO-892) 2. Notice of Draftperson's Patent Drawing Review (PTO-948) 3. Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date 4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	6. ⊠ Interview Summary Paper No./Mail Dat 8), 7. ⊠ Examiner's Amendn	e <u>11102004</u> .

Application/Control Number: 10/614,118 Page 2

Art Unit: 3711

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Mr. Joseph A. Kolasch (Reg. No. 22,463) on 10 November 2004.

- 2. The application has been amended as follows:
- a. On page 8 of the new substitute specification dated 5 August 2004, in lines 22-25 the words "; and supposing that a thickness change rate of the thick part is T1 and a thickness change rate of the thickness transition part is T2, the relationship of 3T1<T2<2T1 is established" have been replaced by the words -- with a thickness change rate of the thick part being T1 and a thickness change rate of the thickness transition part being T2 --.
- b. In claim 1 line 3 the words "each including" have been replaced by the word -- include --.
- c. In claim 2 line 4 after the words "entire reinforcing fibers of" the word "said" has been replaced by the word -- all --.
- d. In claim 2 line 5 after the word "straight" the word "layer" has been replaced by the word -- layers --.

Application/Control Number: 10/614,118 Page 3

Art Unit: 3711

e. Claim 5 has been cancelled.

Specification

- 3. The changes to the specification are agreed with.
- 4. The substitute specification is approved.

Claim Rejections - 35 USC § 112

5. The change to claim 3 is agreed with and canceling claim 5 is agreed with.

Conclusion

6. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Steve Blau whose telephone number is (571) 272-4406. The examiner is available Monday through Friday from 8 a.m. to 4:30 p.m.. If the examiner is unavailable you can contact his supervisor Greg Vidovich whose telephone number is (571) 272-4415.

slb/ 15 November 2004

STEPHEN BLAU PRIMARY EXAMINER